

AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the application:

LISTING OF CLAIMS:

1. (currently amended) A pharmaceutical, cosmetic, dietetic or nutraceutical composition comprising:

a combination of vasoactive agents consisting of a
first vasoactive agent[[;]], a second vasoactive agent[[;]], and
a third vasoactive agent, wherein,

- the first vasoactive agent is visnadin or
esculoside,

- the second vasoactive agent ~~comprises~~ is at least one
compound selected from the group consisting of icarin, icarin
derivatives, extracts containing icarin, *Ginkgo biloba* dimeric
flavones either in a free form or complexed with phospholipids,
and amentoflavone, and

- the third vasoactive agent ~~comprises~~ is at least one
compound selected from the group consisting of escin, escin beta-
sitosterol complexed with phospholipids, sericoside, sericoside
complexed with phospholipids, and *Centella asiatica* extract in a
free form or complexed with phospholipids.

2. (currently amended) The composition as claimed in claim 1, wherein,

the first vasoactive agent is 0.05-2% by weight of the composition,

the second vasoactive agent is 0.1-1% by weight of the composition, and

the third vasoactive agent is 0.5-2% by weight of the composition.

3. (withdrawn) The composition as claimed in claim 1, wherein the icarin derivatives are selected from the group consisting of 7-hydroxyethyl-icarin, 7-ethylamino-icarin, 7-aminoethyl-icarin, 7-hydroxyethyl-3-O-rhamnosyl-icarin, 7-aminoethyl-3-rhamnosyl-icarin, 8-dihydro-icarin and glucosides thereof in 7 and 3, and 7-hydroxyethyl-7-desglucoicarin.

4. (currently amended) The composition as claimed in claim 1, wherein the ~~first vasoactive agent, the second vasoactive agent, and the third vasoactive agent~~ are combination of vasoactive agents is incorporated into a composition is in a form selected from the group consisting of a cream, a gel, a lotion, and a milk.

5. (canceled)

6. (withdrawn-currently amended) The composition as claimed in claim 1, wherein,

the first vasoactive agent is Visnadin,

the second vasoactive agent ~~comprises~~ consists of 7-hydroxyethyl-7-desgluco-icarin and amentoflavone, and

the third vasoactive agent ~~comprises~~ is escin.

7. (withdrawn-currently amended) The composition as claimed in claim 1, wherein,

the first vasoactive agent is esculoside,

the second vasoactive agent ~~comprises~~ consists of icarin and amentoflavone, and

the third vasoactive agent ~~comprises~~ is escin.

8. (withdrawn-currently amended) The composition as claimed in claim 1, wherein,

the first vasoactive agent is Visnadin, and

the second vasoactive agent ~~comprises~~ consists of 7-hydroxyethyl-7-desgluco-icarin and *Gingko biloba* dimers in a free form or complexed with phospholipids.

9. (currently amended) The composition as claimed in claim 1, wherein,

the first vasoactive agent is Visnadin,

the second vasoactive agent ~~comprises~~ is *Gingko biloba*
dimers complexed with phospholipids, and

the third vasoactive agent ~~comprises~~ is escin beta-
sitosterol complexed with phospholipids.

10. (withdrawn-currently amended) The composition as
claimed in claim 1, wherein,

the first vasoactive agent is esculoside,

the second vasoactive agent ~~comprises~~ is *Gingko biloba*
dimers complexed with phospholipids, and

the third vasoactive agent ~~comprises~~ is escin beta-
sitosterol complexed with phospholipids.

11-12. (canceled)

13. (currently amended) A pharmaceutical, cosmetic,
dietetic or nutraceutical composition comprising:

a combination of vasoactive agents consisting of a
first vasoactive agent[[]], a second vasoactive agent[[]], and
a third vasoactive agent, wherein,

- the first vasoactive agent is visnadin,

- the second vasoactive agent ~~comprises~~ is at least one compound selected from the group consisting of icarin, icarin derivatives, extracts containing icarin, *Ginkgo biloba* dimeric flavones either in a free form or complexed with phospholipids, and amentoflavone, and

- the third vasoactive agent ~~comprises~~ is at least one compound selected from the group consisting of escin, escin beta-sitosterol complexed with phospholipids, sericoside, sericoside complexed with phospholipids, and *Centella asiatica* extract in a free form or complexed with phospholipids.